

# MY LED LIGHTING GUIDE

YOUR GUIDE TO ENERGY EFFICIENT LED LIGHTING

## High Bay LED Linear

Replaces: 400W Metal Halide



## Models and Specifications

Part Number	Watts	Lumens	Replaces
MLLG-AG-LED-LNHB-80-[Color]-[Options]	80	12,000	250W
MLLG-AG-LED-LNHB-120-[Color]-[Options]	120	18,000	400W
MLLG-AG-LED-LNHB-180-[Color]-[Options]	180	27,000	400W
<b>Lumens Per Watt</b>	150		
<b>Voltage</b>	100-277V [D]   277-480V [HV]		
<b>Frequency</b>	50 / 60 hz		
<b>Power Factor</b>	.90		
<b>THD</b>	20% Max		
<b>Life Hours</b>	50,000 (L70) hours		
<b>Color Temperature</b>	4000K   5000K		
<b>CRI</b>	70+		
<b>Beam Angle</b>	120°		
<b>Operating Temperature</b>	-30°C to 45° C		
<b>Dimmable</b>	0-10V   Optional		
<b>Housing</b>	Aluminum housing		
<b>Mounting</b>	cable mount		
<b>Dimensions</b>	26.5"LX12"HX2.83"H		
<b>Weight</b>	10 lbs		
<b>Warranty</b>	5 years		

## Features

- Designed to replace fluorescent and T5 High Bay Light Fixtures
- High performance High Bay Linear LED design with Nichia SMD
- Luminous flux up to 27 000 lm
- Energy saving up to 90%
- CCT: 5000K ( 4000K available )
- CRI Ra70 (CRI Ra80 optional)
- Superior uniformity
- Superior temperature stability

## Options

Motion Sensor

| Cable Mount

| Controls Ready Options

Product enhancements may result in specification changes without notice. Contact us for the latest information

[www.MyLEDLightingGuide.com](http://www.MyLEDLightingGuide.com) (888) 423-3191