

LED High Bay - Acrylic Dome

Part No: MLLG-GI-LED-HB-AP-[Watts]-[Color] 784

Replaces: 400W Metal Halide



Specifications

Type	LED High Bay Lights - LED Warehouse Lighting
Wattage	100-200
CRI	80+
Lumens	12,861-23,910
Lumen Per Watt	103
Color Temperature	5000K
Beam Angle	120°
Life Hours	70,000 hours
Replaces	400W Metal Halide
Working Voltage	100-277V [D]
Frequency	50-60Hz
Power Factor	> .90
THD	< 20%
Operating Temperature	-30°C to +60°C
Dimmable	No
Dimensions	16" W
Net Weight	10
Housing	Acrylic Shield
Reflector	Acrylic
Warranty	6 years

Features

Integrated LED system for optimum lifetime performance of 20 years +.
Ideal for Warehouses, Factories, Distribution Centers or any where you need light for an existing area.
Reduced energy consumption and operating costs by up to 80%.
Maintenance free operation - lasts up to 10 times longer than conventional lighting
Solid state design and circuitry
Great for shock and high vibration environments
50-80% reduced energy usage. Save money on your utility bill
No humming or flickering.
Cool beam - Does not produce Ultra Violet (UV) light or IR.
Unique design with anodized silver housing for cooler operation and extended lamp life.
Environmentally friendly – fully recyclable, no mercury or other hazardous materials.

Model	Wattage	Replaces Metal Halide	Lumens
MLLG-GI-LED-HB-AP-100-5500	100W	250W	12,861
MLLG-GI-LED-HB-AP-150-5500	150W	250-400W	18,300
MLLG-GI-LED-HB-AP-200-5500	200W	400W	23,910