

75-100-120 Watt - replace up to 400W HID

Part No: MLLG-LED-RETRO5-[Watts]-[Color]-[HV]-S 1189

Replaces: 250W Metal Halide | 400W Metal Halide



Models

Part Number	Watts	Lumens	Replaces	Dimensions
MLLG-LED-RETRO5-75-[Color]-[HV]-S	75	12,375	250W	6.1"L x 5.2"W x 2.75"H
MLLG-LED-RETRO5-100-[Color]-[HV]-S	100	15,500	400W	6.1"L x 5.9"W x 2.75"H
MLLG-LED-RETRO5-120-[Color]-[HV]-S	120	18,600	400W	6.1"L x 5.9"W x 2.75"H

Lumens Per Watt	155-165
Voltage	100-277V [D] 347-480V [HV]
Frequency	50/60 hz
Life Hours	100,000 (L70) hours 50,000 hrs - driver
Color Temperature	4000K 5000K
CRI	75+
Beam Angle	120°
Operating Temperature	-25°C to +55°C
Dimmable	0-10V Optional
Mounting	Multiple Mounting Options Available
Weight	4.5
Warranty	10 years

Features

Our Standard Series Retrofit wins in life rating wattage savings payback CRI and the ability to retrofit in 99% of existing Metal Halide and High Pressure Sodium fixtures.

LED Source: Nichia Corporation

Beam Angle: 120

IP Rating: these units are not IP65 or above rated they need to be installed inside an IP65 if used outdoors or in a wet environment.

Driver: Meanwell 100-277V or 480V High Voltage

Options

347V-480V	4000K		
-----------	-------	--	--